

ARABESQUE

by Adriana Lohmann





USE LED FEATURES

















IP20 IK 00

220-240 V

50/60 Hz RG 0

DESCRIPTION

Linear ceiling lamp for interior installations with diffused light. Ideal in environments where sinuous, ethereal, floating and elegant shapes are required. Structure in bent metal, laser-cut and painted. Cover in chromed or golden metal with galvanic finish. Translucent terylene decorative elements in mother-of-pearl white, chrome, gold or copper. The elements are adorned with precious crystal gems. The choice of colors, finishes and lengths of the elements is customizable. Equipped with Led circuits with high color rendering index (CRI90) and high-energy efficiency. Laser-cut metal dissipating plate. Built-in electronic ballast. All electronic ballasts are equipped with thermal and short-circuit protection, against overloading and overvoltage.



SETTLEMENT CODE

Complete the code by entering the number corresponding to the desired color in the space provided $\ \square$

STRUCTURE COLORS



Chrome finish: 0



Gold finish: 2

other colors on request

ELEMENTS COLORS



Gold: 2




Mother pearl: 1



Copper: 3

| | | | | | CODE |
|-----------------|--------|------|-------|-------------------|----------------------|
| ARABESQUE SL800 | IP20 T | TYPE | POWER | FLUX ¹ | CCT 3000°K CRI>90 |
| 800 | | LED | 27W | 3240lm | C001 .w |
| | | | | | structure elements |




Brightest LED versions on request



ARABESQUE

by Adriana Lohmann





USE LED FEATURES

















IP20 | IK 00

220-240 V

- | 50/60 V | Hz RG 0

DESCRIPTION

Round ceiling lamp for diffused light indoor installations. Ideal in environments where sinuous, ethereal, floating and elegant shapes are required. Structure in pressed, laser-cut and painted metal. Cover in chromed or golden metal with galvanic finish. Translucent terylene decorative elements in mother-of-pearl white, chrome, gold or copper. The elements are adorned with precious crystal gems. The choice of colors, finishes and lengths of the elements is customizable. Equipped with Led circuits with high color rendering index (CRI90) and high-energy efficiency. Laser-cut metal dissipating plate. Built-in electronic ballast. All electronic ballasts are equipped with thermal and short-circuit protection, against overloading and overvoltage.



SETTLEMENT CODE

Complete the code by entering the number corresponding to the desired color in the space provided $\ \square$

STRUCTURE COLORS



Chrome finish: 0



Gold finish: 2

other colors on request

ELEMENTS COLORS



Gold: 2



Chrome: 0




Mother pearl: 1



Copper: 3

| ARABESQUE R300 | | TYPE | POWER | FLUX ¹ | CODE CODE |
|----------------|------|------|-------|-------------------|--------------------|
| | IP20 | | | | |
| Ø300 | | LED | 12W | 1440lm | C002 .W |
| | | | | | structure elements |



Brightest LED versions on request



ARABESQUE

by Adriana Lohmann





USE LED FEATURES





















)- | 50/60 V | Hz RG 0

DESCRIPTION

Round ceiling lamp for diffused light indoor installations. Ideal in environments where sinuous, ethereal, floating and elegant shapes are required. Structure in pressed, laser-cut and painted metal. Cover in chromed or golden metal with galvanic finish. Translucent terylene decorative elements in mother-of-pearl white, chrome, gold or copper. The elements are adorned with precious crystal gems. The choice of colors, finishes and lengths of the elements is customizable. Equipped with Led circuits with high color rendering index (CRI90) and high-energy efficiency. Laser-cut metal dissipating plate. Built-in electronic ballast. All electronic ballasts are equipped with thermal and short-circuit protection, protection against overvoltage and overloading.



SETTLEMENT CODE

Complete the code by entering the number corresponding to the desired color in the space provided $\ \square$

STRUCTURE COLORS

Chrome finish: 0



Gold finish: 2

other colors on request

ELEMENTS COLORS



Gold: 2




Mother pearl: 1



Copper: 3

| | | | POWER | FLUX ¹ | CODE |
|----------------|------|------|-------|-------------------|----------------------|
| ARABESQUE R500 | IP20 | TYPE | | | CCT 3000°K CRI>90 |
| Ø500 | | LED | 36W | 4320Im | C003 .W |
| | | | | | structure elements |



Brightest LED versions on request